IN THE CLAIMS

Please amend the claims as follows:

- 1. (original) A low-pressure gas discharge lamp that has, in a gas-discharge vessel, one or more inert gases as a buffer gas and means for producing and maintaining a low-pressure gas discharge, characterized in that it contains a gallium halide or a mixture of a plurality of gallium halides.
- 2. (original) A low-pressure gas discharge lamp as claimed in claim 1, characterized in that, in addition to one or more gallium halides, it also contains indium and/or thallium.
- 3. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 and 2 claim 1, characterized in that it contains the elements gallium, halogen and indium and/or thallium in the following molar proportions: the expression governing the molar proportions of Z is: m(Z) > 0, and the expression governing the molar proportions of X, Ga and Z is: m(X) < m (Ga) + m(Z), where X stands for fluorine, chlorine, bromine and/or iodine and Z for indium and/or thallium.

- 4. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 3claim 1, characterized in that the total concentration of the gallium and indium/thallium halides in the gas phase in the gas-discharge vessel is 2×10^{-9} to 2×10^{-11} mol/cm³.
- 5. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 4claim 1, characterized in that the gas-discharge vessel is surrounded by a heat-reflecting outer envelope.
- 6. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 5 claim 1, characterized in that the inert gas pressure in the gas-discharge vessel is between 1 and 5 mbar.
- 7. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 6claim 1, characterized in that the discharge is excited capacitively or inductively and by a high-frequency alternating field.
- 8. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 6claim 1, characterized in that the discharge can be excited by internal electrodes made of highmelting-point materials.

- 9. (original) A low-pressure gas discharge lamp as claimed in claim 8, characterized in that the internal electrodes are provided with a material having a low work function.
- 10. (currently amended) A low-pressure gas discharge lamp as claimed in claims 1 to 9claim 1, characterized in that it contains a phosphor by which the proportion of UV in the radiation generated is converted into visible radiation.
- 11. (currently amended) An illumination device, characterized in that it includes one or more low-pressure gas discharge lamps as claimed in $\frac{1}{2}$ to $\frac{10}{2}$ claim 1.
- 12. (original) An illumination device, selected from the group of tanning devices, backlighting devices for LCD-displays, UV-disinfection devices and UV-curing devices for resins.